
BERLIN BO



The Berlin collection offers black-out fabrics with a robust and durable textile look and feel. The fabric blocks any incoming daylight to offer complete darkness and privacy in any interior.

Physical properties

Composition	100% PES
Type of finish/coating	Black-out color backing
Thickness	0.45 mm
Weight	340 g/m2
Openess factor	0 %
Coloring	Piece dyed
Weave type	Basket 2x2
Threads warp solid	32 p/cm
Threads weft solid	18.5 p/cm
Yarn composition warp solid	Filament
Yarn composition weft solid	Filament
Available roll widths (cm)	0 8.9 12.7 200 250 280


Handling


Applicability	Vertical
	Panel, Roller, Roman
Processing	Cold cut, Ultrasonic cut
Processing direction	Drop for drop, Width for drop
Cleaning	Damp cloth, Dry cloth
Printable	Yes
Welding	Possible with welding tape V22-10(-A)


Certification data


Color fastness standard	ISO 105-B02
Color fastness value	3-4
Flame retardant	No
Oeko-Tex standard	Yes, 2208195
Greenguard certification	No
Greenguard gold certification	No
Trevira CS	No
Anti microbial	No
Formaldehyde free	Compliant with Oeko-tex
Lead-free	Compliant with Oeko-tex
Moisture proof	No
Phthalate free	Compliant with Oeko-tex
Recyclable	No
Zero VOC	Compliant with Oeko-tex


Collections



5816



5820



5824



5833


5836


5838



5932



6323


7430


5100


5200



5300


5600



6000



6250



6200



6300



6100



6320



5500



5900


5700


5400



5800



5125



5130

5120


5150



5170



5850


5853


5852



5851



5610



5220


COULISSE
since 1992


Collections



5540



5919



5311



5940



5910



5920



5812



5825



5842



5846



5844



5520



5814



5935



5950


5821


5826


5835


5922


5930

RTA Specifications

		Thermal comfort										Visual comfort								
Article color code	Color	Ts	Rs	As	T-UV	Gtot int glazing C Value	Gtot int glazing C Class	FC glazing C Value	Gtot int glazing D Value	Gtot int glazing D Class	FC glazing D Value	Rv	Tv	Av	Tv, n-h	Tv, n-diff	Glare control Class	Privacy night Class	Visual contact Class	Daylight utilisation Class
5100	Blanc	0	0,6922	0,3078	0	0,34	2	0,58	0,25	2	0,77	0,7961	0	0,2039	0	0	4	4	0	0
5120	Snow White	0	0,7284	0,2716	0	0,33	2	0,56	0,24	2	0,76	0,8413	0	0,1587	0	0	4	4	0	0
5125	Chalk	0	0,6869	0,3131	0	0,34	2	0,58	0,25	2	0,77	0,7093	0	0,2907	0	0	4	4	0	0
5130	Pebble	0,0001	0,627	0,3729	0	0,36	1	0,62	0,25	2	0,79	0,5503	0	0,4497	0	0	4	4	0	0
5150	Bright White	0	0,6648	0,3351	0	0,35	2	0,59	0,25	2	0,78	0,7971	0	0,2029	0	0	4	4	0	0
5170	Grey Stone	0	0,4762	0,5238	0	0,41	1	0,7	0,27	2	0,83	0,527	0	0,473	0	0	4	4	0	0
5200	Gardenia	0	0,7578	0,2422	0	0,32	2	0,54	0,24	2	0,75	0,8759	0	0,1241	0	0	4	4	0	0
5220	Moth	0	0,5513	0,4486	0	0,39	1	0,66	0,26	2	0,81	0,5411	0	0,4589	0	0	4	4	0	0
5300	Vanilla	0	0,6337	0,3662	0	0,36	1	0,61	0,25	2	0,78	0,7259	0	0,2741	0	0	4	4	0	0
5311	Dune	0	0,2145	0,7855	0	0,5	0	0,84	0,29	2	0,9	0,2333	0	0,7667	0	0	4	4	0	0
5400	Cream	0,0001	0,5072	0,4927	0	0,4	1	0,68	0,26	2	0,82	0,4295	0	0,5705	0	0	1	2	2	1
5500	Peach	0	0,5248	0,4752	0	0,4	1	0,67	0,26	2	0,82	0,5318	0	0,4682	0	0	4	4	0	0
5520	Golden Sand	0	0,2978	0,7021	0	0,47	1	0,8	0,28	2	0,88	0,2896	0	0,7104	0	0	4	4	0	0
5540	Twill	0	0,363	0,637	0	0,45	1	0,76	0,28	2	0,86	0,3586	0	0,6413	0	0	4	4	0	0
5600	Metal	0	0,454	0,546	0	0,42	1	0,71	0,27	2	0,84	0,4908	0	0,5092	0	0	4	4	0	0
5610	Limestone	0	0,2746	0,7254	0	0,48	1	0,81	0,28	2	0,89	0,3055	0	0,6945	0	0	4	4	0	0
5700	Sunlight	0	0,5624	0,4376	0	0,38	1	0,65	0,26	2	0,8	0,6539	0	0,3461	0	0	4	4	0	0
5800	Mimosa	0	0,703	0,297	0	0,34	2	0,58	0,24	2	0,75	0,675	0	0,325			4	4	0	0
5812	Fresia	0	0,5726	0,4273	0	0,38	1	0,65	0,26	2	0,8	0,6411	0	0,3589	0	0	4	4	0	0
5814	Formula One	0	0,4461	0,5539	0	0,42	1	0,72	0,27	2	0,84	0,2001	0	0,7999	0	0	4	4	0	0

COULISSE
since 1992

RTA Specifications

		Thermal comfort										Visual comfort								
Article color code	Color	Ts	Rs	As	T-UV	Gtot int glazing C Value	Gtot int glazing C Class	FC glazing C Value	Gtot int glazing D Value	Gtot int glazing D Class	FC glazing D Value	Rv	Tv	Av	Tv, n-h	Tv, n-diff	Glare control Class	Privacy night Class	Visual contact Class	Daylight utilisation Class
5816	Desert	0	0,645	0,355	0	0,36	1	0,61	0,25	2	0,78	0,605	0	0,395			4	4	0	0
5820	Bran	0	0,575	0,425	0	0,38	1	0,64	0,26	2	0,81	0,435	0	0,565			4	4	0	0
5821	Coffee Bean	0	0,255	0,745	0	0,48	1	0,82	0,29	2	0,89	0,0613	0	0,9387	0	0	4	4	0	0
5824	Mocha	0	0,507	0,493	0	0,4	1	0,68	0,26	2	0,81	0,279	0	0,721			4	4	0	0
5825	Cappuccino	0	0,1331	0,8669	0	0,52	0	0,89	0,3	2	0,93	0,113	0	0,887	0	0	4	4	0	0
5826	Chocolate Brown	0	0,0869	0,9131	0	0,54	0	0,91	0,3	2	0,94	0,0841	0	0,9159	0	0	4	4	0	0
5833	Forest Night	0	0,446	0,554	0	0,42	1	0,71	0,27	2	0,84	0,211	0	0,789			4	4	0	0
5835	Amaranth	0	0,2416	0,7584	0	0,49	1	0,83	0,29	2	0,9	0,129	0	0,871	0	0	4	4	0	0
5836	Fuchsia	0	0,543	0,457	0	0,39	1	0,66	0,26	2	0,81	0,278	0	0,722			4	4	0	0
5838	Lavender Mist	0	0,631	0,369	0	0,36	1	0,61	0,25	2	0,78	0,457	0	0,543			4		0	0
5842	Leaf Green	0	0,446	0,5539	0	0,42	1	0,72	0,27	2	0,84	0,467	0	0,533	0	0	4	4	0	0
5844	Pesto	0	0,3188	0,6811	0	0,46	1	0,79	0,28	2	0,87	0,1789	0	0,8211	0	0	4	4	0	0
5846	Shale	0	0,482	0,518	0	0,41	1	0,69	0,26	2	0,81	0,219	0	0,781						
5850	Tan	0	0,4838	0,5162	0	0,41	1	0,69	0,26	2	0,83	0,3997	0	0,6003			4	4	0	0
5851	Argan	0,0001	0,4821	0,5179	0	0,41	1	0,7	0,26	2	0,83	0,2381	0	0,7619	0	0	4	4	0	0
5852	Pine	0	0,1549	0,8451		0,52	0	0,88	0,29	2	0,92	0,1694	0	0,8305			4	4	0	0
5853	Dijon	0	0,5301	0,4699	0	0,39	1	0,67	0,26	2	0,81	0,3573	0	0,6427	0	0	4	4	0	0
5900	Riviera	0	0,4508	0,5492	0	0,42	1	0,71	0,27	2	0,84	0,3172	0	0,6828	0	0	4	4	0	0
5910	Crystal Rose	0	0,7306	0,2694	0	0,33	2	0,56	0,24	2	0,76	0,8173	0	0,1827	0	0	4	4	0	0
5919	Raven	0	0,0759	0,9241	0	0,54	0	0,92	0,3	2	0,94	0,0797	0	0,9203	0	0	4	4	0	0
5920	Spa Blue	0	0,5858	0,4141	0	0,38	1	0,64	0,26	2	0,8	0,6422	0	0,3578	0	0	4	4	0	0
5922	Blue Coral	0	0,1872	0,8128	0	0,51	0	0,86	0,29	2	0,91	0,1507	0	0,8493	0	0	4	4	0	0
5930	Air Blue	0	0,5467	0,4533	0	0,39	1	0,66	0,26	2	0,81	0,4911	0	0,5089	0	0	4	4	0	0
5932	Raspberry	0	0,558	0,442	0	0,39	1	0,66	0,26	2	0,81	0,289	0	0,711			4		0	0
5935	Sangria	0	0,2717	0,7283	0	0,48	1	0,81	0,28	2	0,89	0,1419	0	0,8581	0	0	4	4	0	0
5940	Delft	0	0,3299	0,67	0	0,46	1	0,78	0,28	2	0,87	0,2056	0	0,7944	0	0	4	4	0	0
5950	True Blue	0	0,2201	0,7799	0	0,5	0	0,84	0,29	2	0,9	0,0822	0	0,9178	0	0	4	4	0	0
6000	Blue Night	0	0,431	0,569	0	0,43	1	0,73	0,27	2	0,84	0,168	0	0,832			4	4	0	0
6100	Pepper	0	0,2403	0,7597	0	0,49	1	0,83	0,29	2	0,9	0,1389	0	0,8611	0	0	4	4	0	0
6200	Rust	0	0,2704	0,7296	0	0,48	1	0,81	0,28	2	0,89	0,16	0	0,84	0	0	4	4	0	0
6250	Terra	0	0,4594	0,5405	0	0,42	1	0,71	0,27	2	0,83	0,1652	0	0,8348	0	0	4	4	0	0
6300	Grey	0	0,1513	0,8487	0	0,52	0	0,88	0,29	2	0,92	0,1591	0	0,8409	0	0	4	4	0	0
6320	Black	0	0,0689	0,9311	0	0,54	0	0,92	0,3	2	0,95	0,0716	0	0,9284	0	0	4	4	0	0
6323	Croissant	0	0,656	0,344	0	0,35	1	0,59	0,25	2	0,78	0,588	0	0,412			4		0	0
7430	Lime	0	0,578	0,422	0	0,38	1	0,64	0,26	2	0,81	0,447	0	0,553			4		0	0

Article color codes are subjected to availability of their respective product types. Please consult the webshop on My Coulisse for current supply.
The following regulations apply to the values listed in the table:

- Reflection, Transmission and Absorbtion EN 410:2011
- Gtot int glazing EN 52022-1
- Visual comfort classifications EN 14501:2021
- FC value EN 13363-1

The information in this productsheet is for guidance only and is based on information available at the time of publication. We want to emphasize that it is important to always consult the most recent product specifications for specific and detailed information about our range. Although this collection book has been compiled with the utmost care, we cannot guarantee the completeness, accuracy or timeliness of the information. Use of this information is entirely at the user's own risk. We accept no liability for any direct or indirect damages resulting from the use of this information.

If you have any questions about our products, please do not hesitate to contact us. Our team of experts is ready to help and inform you about our products and their specifications.

About Coulisse

We are a down-to-earth family run business founded in the Netherlands, built on strong partnerships. Working with and for passionate people to create the most forward-thinking window covering solutions for the industry worldwide. With our in-house engineers, quality department, R&D, creative marketing and e-business teams, we go above and beyond for our clients.

Contact us

EMEA
Vonderweg 48
7468 DC Enter
The Netherlands

Americas
2400 NW 116th St Suite 600
Miami FL 33167
United States

APAC
Unit 17/69 O'Riordan Street
Alexandria NSW 2015 Sydney
Australia

COULISSE
since 1992